

# WATER TREATMENT

## Faucets & Accessories

### Pure T Long Reach Faucets



PRECISION  
INSTALLATION  
PRODUCTS

## PURE T LONG REACH FAUCETS



- 2 year warranty - fully guaranteed
- NSF & UPC certified
- Lead free
- IAPMO approved

<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-3/14WLR	PURE T LR CHROME FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-AG	PURE T LR CHROME AG FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-AL-AG	PURE T LR ALMOND AG FAUCET-NSF/LEAD FREE/IAPMO
PFOT-3/14WLR-BLK	PURE T LR BLACK FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-BLK-AG	PURE T LR BLACK AG FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-BN	PURE T LR BRUSHED NICKEL FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-BN-AG	PURE T LR BRUSHED NICKEL AG FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-ORB	PURE T LR OIL RUBBED FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-ORB-AG	PURE T LR OIL RUBBED AG FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-SS	PURE T LR STAINLESS STEEL FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-SS-AG	PURE T LR STAINLESS STEEL AG FAUCET - NSF - LEAD FREE - IAPMO
PFOT-3/14WLR-WH-AG	PURE T LR WHITE AG FAUCET - NSF - LEAD FREE - IAPMO

## PURE T COLOR CHART



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-3/14WLR-COLOR	PURE T COLOR CHART FOR LR FAUCETS

## PURE T REPAIR KIT



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFO14	PURE T FAUCET REPAIR KIT FOR PURETEK ONLY



PRECISION  
INSTALLATION  
PRODUCTS

# WATER TREATMENT

Faucets & Accessories

## Hydronix Ceramic Disc Faucets

### 1/4 TURN CERAMIC DISC FAUCETS - LEAD FREE / NSF LISTED



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-CER25-AB	HYDRONIX ANTIQUE BRASS LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-AW	HYDRONIX ANTIQUE WINE LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-BN	HYDRONIX BRUSHED NICKEL LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-BN-AG	HYDRONIX BRUSHED NICKEL AIRGAP LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-CP	HYDRONIX CHROME LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-CP-AG	HYDRONIX CHROME AIRGAP LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
PFOT-CER25-ORB	HYDRONIX OIL RUBBED BRONZE LEAD FREE CERAMIC DISC FAUCET - NSF - 3" SHANK
XAPRG10ASX	NORMAL BYPS - CLAMP MOUNT - 1/2"FPT - 350GPH @ 1450RPM
XAPRG10CHX	NO BYPS - FLANGE MOUNT - 1/2"FPT - 330GPH @ 1450RPM

### 1/4 TURN CERAMIC DISC COKE BOTTLE FAUCETS - LEAD FREE / NSF LISTED



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-CER32-ANTB	HYDRONIX ANTIQUE BRONZE LEAD FREE CERAMIC DISC "COKE STYLE" FAUCET - NSF-3" SHANK
PFOT-CER32-ANTB-AG	HYDRONIX ANTIQUE BRONZE AIRGAP LEAD FREE CERAMIC DISC "COKE STYLE" FAUCET-NSF-3" SHANK
PFOT-CER32-BN	HYDRONIX BRUSHED NICKEL LEAD FREE CERAMIC DISC "COKE STYLE" FAUCET - NSF - 3" SHANK
PFOT-CER32-BN-AG	HYDRONIX BRUSHED NICKEL AIRGAP LEAD FREE CERAMIC DISC NSF "COKE BOTTLE" FAUCET-NSF-3" SHANK
PFOT-CER32-CP	HYDRONIX CHROME LEAD FREE CERAMIC DISC "COKE STYLE" FAUCET - NSF - 3" SHANK
PFOT-CER32-CP-AG	HYDRONIX CHROME AIRGAP LEAD FREE CERAMIC DISC "COKE STYLE" FAUCET - NSF - 3" SHANK
PFOT-CER32-ORB	HYDRONIX OIL RUBBED BRONZE LEAD FREE CERAMIC DISC "COKE BOT-TLE" FAUCET-NSF-3" SHANK
PFOT-CER32-ORB-AG	HYDRONIX OIL RUBBED BRONZE AIRGAP LEAD FREE CERAMIC DISC "COKE BOTTLE" FAUCET-NSF-3" SHANK
XAPRG10CHX	NO BYPS - FLANGE MOUNT - 1/2"FPT - 330GPH @ 1450RPM

# WATER TREATMENT

Faucets & Accessories

Tomlinson Designer Faucets




tomlinson®



PRECISION  
INSTALLATION  
PRODUCTS

## DESIGNER RO FAUCET SERIES

Made of high quality lead-free brass, our designer kitchen faucet is a real standout – and a great opportunity for you to set yourself apart. This reverse osmosis faucet features a smooth operating ceramic disk element, lever style handle, high reach neck design of 12", protective spout tip to prevent after drip, and a patented modular air gap. The Designer Reverse Osmosis faucet retrofits most brands and is shipped complete with preinstalled tubing for quick connections. Choose from 9 designer finishes to compliment virtually any décor! All reverse osmosis faucets are NSF listed to ANSI NSF Std. 61. Two year warranty.



### Features:


- Retrofits most brands
- Smooth operating ceramic disk element
- Lever style handle
- High reach neck design of 12" (305 mm)
- Neck swivels 360°
- Protective spout tip prevents after drip
- Patented modular air gap (U.S. patent #7,011,106)
- Base diameter is 2-1/4" (57 mm)
- Two year warranty
- Spout reach is approximately 5" (127 mm)
- Pressure rating: 125 PSI/8.6 BAR
- Flow rate: 1.0 gpm/3.785 lpm at 35 PSI/2.32 BAR
- Temperature rating: 40°F/4°C to 150°F/66°C
- 1/4" OD x 30" tubing pre-installed
- Includes installation hardware and instructions

## TOMLINSON DESIGNER "COLD ONLY" FAUCETS



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-DES-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-BLK	TOMLINSON BLACK DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-BRN	TOMLINSON BRILLIANT NICKEL DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-BS	TOMLINSON BISCUIT DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-CH	TOMLINSON POLISHED CHROME DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-FBLK	TOMLINSON FLAT BLACK DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-PB	TOMLINSON POLISHED BRASS DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-PN	TOMLINSON POLISHED NICKEL DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-SN	TOMLINSON SATIN NICKEL DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-SS	TOMLINSON BRUSHED STAINLESS DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-VB	TOMLINSON VENETIAN BRONZE DESIGNER AG FAUCET - "COLD ONLY" - NSF
PFOT-DES-WH	TOMLINSON WHITE DESIGNER AG FAUCET - "COLD ONLY" - NSF

## TOMLINSON FAUCET DISPLAYS



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-DES/CONT-BASE	TOMLINSON MARBLE GRANITE DISPLAY BASE FOR TOMLINSON FAUCETS - HOLDS 4 FAUCETS
PFOT-DES-DISPLAY	TOMLINSON DESIGNER FAUCET DISPLAY WITH COLOR KIT ON MARBLE/GRANITE BASE
PFOT-DES/CONT-CHART	TOMLINSON COLOR SAMPLES FOR DESIGNER/CONTEMPORARY LINES
PFOT-CONT-DISPLAY	TOMLINSON CONTEMPORARY FAUCET DISPLAY WITH COLOR KIT ON MARBLE/GRANITE BASE

## AIRGAPS



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-1419655	TOMLINSON DESIGNER AIRGAP ASSEMBLY
PFOT-1922731	TOMLINSON TUBING - 804-3HC 3/8 X 1/2 X 36"



# WATER TREATMENT

## Faucets & Accessories

Tomlinson Contemporary Faucets - Cold Only

tomlinson®



PRECISION  
INSTALLATION  
PRODUCTS

## CONTEMPORARY "COLD ONLY" AIRGAP FAUCETS - LEAD FREE




PART NUMBER	ITEM DESCRIPTION
PFOT-CONT-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-BLK	TOMLINSON BLACK CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-FBLK	TOMLINSON FLAT BLACK CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-BRN	TOMLINSON BRILLIANT NICKEL CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-BS	TOMLINSON BISCUIT CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-CH	TOMLINSON CHROME CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-PB	TOMLINSON POLISHED BRASS CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-PN	TOMLINSON POLISHED NICKEL CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-SN	TOMLINSON SATIN NICKEL CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-SS	TOMLINSON BRUSHED STAINLESS CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-VB	TOMLINSON VENETIAN BRONZE CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-CONT-WH	TOMLINSON WHITE CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF

## CONTEMPORARY RO FAUCET SERIES

Tomlinson's Contemporary Reverse Osmosis Faucets add high style to the high-end kitchen. Nine fabulous finishes give dealers and distributors lots of ways to up-sell customers. Plus, the lead-free brass construction of these reverse osmosis faucets is quality all the way. This contemporary kitchen faucet features a smooth operating ceramic disk element, lever style handle, high reach neck design of 12", protective spout tip to prevent after drip, and a patented modular air gap. The Contemporary Reverse Osmosis faucet retrofits most brands and is shipped complete with preinstalled tubing for quick connections. Any of the available designer finishes can compliment virtually any décor! All reverse osmosis faucets are NSF listed to ANSI NSF Std. 61. Two year warranty.

### Features:

- Retrofits most brands
- Smooth operating ceramic disk element
- Lever style handle
- High reach neck design of 12" (305 mm)
- Neck swivels 360°
- Protective spout tip prevents after drip
- Patented modular air gap (U.S. patent #7,011,106)
- Base diameter is 2-1/4" (57 mm)
- Two year warranty
- Spout reach is approximately 5" (127 mm)
- Pressure rating: 125 PSI/8.6 BAR
- Flow rate: 1.0 gpm/3.785 lpm at 35 PSI/2.32 BAR
- Temperature rating: 40°F/4°C to 150°F/66°C
- 1/4" OD x 30" tubing pre-installed
- Includes installation hardware and instructions



## ULTRA CONTEMPORARY "COLD ONLY" AIRGAP FAUCETS - LEAD FREE / NSF



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-ULTCON-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-ULTCON-CH	TOMLINSON CHROME ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-ULTCON-PN	TOMLINSON POLISHED NICKEL ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-ULTCON-SN	TOMLINSON SATIN NICKEL ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-ULTCON-SS	TOMLINSON BRUSHED STAINLESS ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF
PFOT-ULTCON-VB	TOMLINSON VENETIAN BRONZE ULTRA CONTEMPORARY AG FAUCET - "COLD ONLY" - NSF

## VINTAGE "COLD ONLY" AIRGAP FAUCETS - LEAD FREE/NSF



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-VINTAGE-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE VINTAGE AG FAUCET - "COLD ONLY" - NSF
PFOT-VINTAGE-CH	TOMLINSON CHROME VINTAGE AG FAUCET - "COLD ONLY" - NSF
PFOT-VINTAGE-PN	TOMLINSON POLISHED NICKEL VINTAGE AG FAUCET - "COLD ONLY" - NSF
PFOT-VINTAGE-SN	TOMLINSON SATIN NICKEL VINTAGE AG FAUCET - "COLD ONLY" - NSF
PFOT-VINTAGE-SS	TOMLINSON BRUSHED STAINLESS VINTAGE AG FAUCET - "COLD ONLY" - NSF
PFOT-VINTAGE-VB	TOMLINSON VENETIAN BRONZE VINTAGE AG FAUCET - "COLD ONLY" - NSF

# WATER TREATMENT

Faucets & Accessories


Tomlinson Hot & Cold Faucets

tomlinson®



PRECISION  
INSTALLATION  
PRODUCTS

## DESIGNER "HOT & COLD" FAUCETS - LEAD FREE



PART NUMBER	ITEM DESCRIPTION
PFOT-DESHC-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE DESIGNER "HOT & COLD" FAUCET - NSF
PFOT-DESHC-CH	TOMLINSON CHROME DESIGNER "HOT & COLD" FAUCET - NSF
PFOT-DESHC-SN	TOMLINSON SATIN NICKEL DESIGNER "HOT & COLD" FAUCET - NSF
PFOT-DESHC-SS	TOMLINSON BRUSHED STAINLESS DESIGNER "HOT & COLD" FAUCET - NSF

PLEASE NOTE THAT THESE PRODUCTS DO NOT WORK WITH INSINKERATOR TANKS.

### HOT AND COLD FAUCETS

Tomlinson now offers Hot and Cold Water Faucets designed to work with instant hot water dispensers. These faucets can also be adapted for use with RO systems. Available in both Designer and Contemporary styles, these beautifully crafted hot and cold faucets give you the flexibility you need for today's upscale kitchens and entertainment areas. These hot and cold faucets feature a smooth operating ceramic disk element, lever style handle, high reach neck design of 12" and a protective spout tip to prevent after-drip. For additional safety, this faucet also has self-closing "hot" handles. Hot and cold faucets are shipped complete with preinstalled tubing for quick connections. Faucet is NSF listed to ANSI Std. 61.


#### Features:

- Smooth operating ceramic disk element
- Lever style handle
- High reach neck design of 12" (305 mm)
- Neck swivels 360°
- Protective spout tip prevents after drip
- Two-year warranty
- Spout reach is approximately 5" (127 mm)
- Pressure rating: 125 PSI/8.6 BAR
- Flow rate: varies depending on instant hot water dispenser
- Temperature rating: 40°F/4°C to 190°F/88°C
- 1/4" OD x 30" tubing pre-installed
- Includes installation hardware and instructions

#### Compatible with the following hot water dispensers:

- Waste King® (Anaheim Mfg.)
- Everpure® Everhot EV931840
- HT200 Franke® Little Butler Heating Tank
- Everpure® Commercial Grade Instant Hot CGHE1
- Little Gourmet®
- KitchenAid® (Whirlpool®)
- Mountain Plumbing MT641
- Quick & Hot® Waterstone #5000 Hot Tank
- Solaria™ Instant Hot Water Dispenser EV9318-40

\*Not compatible with InSinkErator® products.









# WATER TREATMENT

Faucets & Accessories

Tomlinson Hot Only Faucets

tomlinson®



PRECISION  
INSTALLATION  
PRODUCTS

## DESIGNER "HOT ONLY" FAUCETS - LEAD FREE



PART NUMBER	ITEM DESCRIPTION
PFOT-DESH-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE DESIGNER "HOT ONLY" FAUCET - NSF
PFOT-DESH-CH	TOMLINSON POLISHED CHROME DESIGNER "HOT ONLY" FAUCET - NSF
PFOT-DESH-SN	TOMLINSON SATIN NICKEL DESIGNER "HOT ONLY" FAUCET - NSF
PFOT-DESH-SS	TOMLINSON BRUSHED STAINLESS DESIGNER "HOT ONLY" FAUCET - NSF

### HOT ONLY FAUCETS


Tomlinson now offers a Hot Water Dispenser Faucet specifically designed to work with instant hot water dispensers. Available in both Designer and Contemporary styles, these beautifully crafted hot water faucets give you the flexibility you need for today's upscale kitchens and entertainment areas. These hot water faucets feature a smooth operating ceramic disk element, lever style handle, high reach neck design of 12", protective spout tip to prevent after-drip and self-closing "hot" handles for additional safety. This hot water dispenser faucet is shipped complete with preinstalled tubing for quick connections. Faucets are NSF listed to ANSI Std. 61.

#### Features:

- Smooth operating ceramic disk element
- Lever style handle
- High reach neck design of 12" (305 mm)
- Neck swivels 360°
- Protective spout tip prevents after drip
- Two-year warranty
- Spout reach is approximately 5" (127 mm)
- Pressure rating: 125 PSI/8.6 BAR
- Flow rate: varies depending on instant hot water dispenser
- Temperature rating: 40°F/4°C to 190°F/88°C
- 1/4" OD x 30" tubing pre-installed
- Includes installation hardware and instructions

#### Compatible with the following hot water dispensers:

- Waste King® (Anaheim Mfg.)
  - Everpure® Everhot EV931840
  - HT200 Franke® Little Butler Heating Tank
  - Everpure® Commercial Grade Instant Hot CGHE1
  - Little Gourmet®
  - KitchenAid® (Whirlpool®)
  - Mountain Plumbing MT641
  - Quick & Hot® Waterstone #5000 Hot Tank
  - Solaria™ Instant Hot Water Dispenser EV9318-40
- \*Not compatible with InSinkErator® products.*



**CONTEMPORARY "HOT ONLY" FAUCETS - LEAD FREE**



PART NUMBER	ITEM DESCRIPTION
PFOT-CONH-ANTB	TOMLINSON ANTIQUE OIL-RUBBED BRONZE CONTEMPORARY "HOT ONLY" FAUCET - NSF
PFOT-CONH-CH	TOMLINSON POLISHED CHROME CONTEMPORARY "HOT ONLY" FAUCET - NSF
PFOT-CONH-SN	TOMLINSON SATIN NICKEL CONTEMPORARY "HOT ONLY" FAUCET - NSF
PFOT-CONH-SS	TOMLINSON BRUSHED STAINLESS CONTEMPORARY "HOT ONLY" FAUCET - NSF

**HOT ONLY FAUCETS**

Tomlinson now offers a Hot Water Dispenser Faucet specifically designed to work with instant hot water dispensers. Available in both Designer and Contemporary styles, these beautifully crafted hot water faucets give you the flexibility you need for today's upscale kitchens and entertainment areas. These hot water faucets feature a smooth operating ceramic disk element, lever style handle, high reach neck design of 12", protective spout tip to prevent after-drip and self-closing "hot" handles for additional safety. This hot water dispenser faucet is shipped complete with preinstalled tubing for quick connections. Faucets are NSF listed to ANSI Std. 61.


**Features:**

- Smooth operating ceramic disk element
- Lever style handle
- High reach neck design of 12" (305 mm)
- Neck swivels 360°
- Protective spout tip prevents after drip
- Two-year warranty
- Spout reach is approximately 5" (127 mm)
- Pressure rating: 125 PSI/8.6 BAR
- Flow rate: varies depending on instant hot water dispenser
- Temperature rating: 40°F/4°C to 190°F/88°C
- 1/4" OD x 30" tubing pre-installed
- Includes installation hardware and instructions

**Compatible with the following hot water dispensers:**

- Waste King® (Anaheim Mfg.)
- Everpure® Everhot EV931840
- HT200 Franke® Little Butler Heating Tank
- Everpure® Commercial Grade Instant Hot CGHE1
- Little Gourmet®
- KitchenAid® (Whirlpool®)
- Mountain Plumbing MT641
- Quick & Hot® Waterstone #5000 Hot Tank
- Solaria™ Instant Hot Water Dispenser EV9318-40

\*Not compatible with InSinkErator® products.



# WATER TREATMENT

Faucets & Accessories

Faucet Parts & Accessories



PRECISION  
INSTALLATION  
PRODUCTS

## FAUCET HOLE COVERS



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PF044	2" OVERSIZED HOLE COVER - DOUBLE PLATE
PF045	SINK HOLE COVER - 1 3/4" DIA. - SINGLE PLATE

## FAUCET WRENCH



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PFOT-WRENCH	BLACK METAL 12" FAUCET WRENCH

## SPIGOT



<u>PART NUMBER</u>	<u>ITEM DESCRIPTION</u>
PHFSA	TOMLINSON BLACK SPIGOT W/ 3/4" NUTS/THREADS/WASHER
PFOT-1025387	TOMLINSON SPIGOT - CHROME PLATED ABS BODY W/ 3/4"-16 UNF THREADS - STANDARD BLACK HANDLE-NUT SOL...



PRECISION  
INSTALLATION  
PRODUCTS



**END OF SECTION**

**THIS PAGE IS LEFT  
INTENTIONALLY BLANK.**